

Client Config notes

Ran this on all the hosts in the cluster; `sysctl -q net.ipv4.conf.all.src_valid_mark=1`

Needed the privileged & net_admin for tunnel binding

```
- image: linuxserver/wireguard
securityContext:
  privileged: true
  capabilities:
    add: ["NET_ADMIN", "SYS_MODULE"]
env:
- name: PUID
  value: "1000"
- name: PGID
  value: "1000"
name: wireguard
volumeMounts:
- name: config-wg
  mountPath: /config
- name: modules
  mountPath: /lib/modules
```

Spent a lot of time troubleshooting intermittent DNS, this was because of overzealous iptables kill-switches from mullvad blocking the upstream dns server when the cluster DNS didn't have the off hand response, as well as blocking ICMP and other local networks which prevented side-cars from having access from the local net (like qbittorrent over 8080 on 192.168 network)

My final client configuration:

```
[Interface]
PrivateKey = <mullvad provided key>
Address = <mullvad provided IP>/32
DNS = <mullvad DNS server>
```

PostUp = ip route add 192.168.0.0/16 via 169.254.1.1

PreDown = ip route del 192.168.0.0/16 via 169.254.1.1

[Peer]

PublicKey = <mullvad provided key>

AllowedIPs = 0.0.0.0/0 #Actually a take-over ip list

Endpoint = <mullvad server IP>:51820

Revision #2

Created 20 July 2020 23:12:22 by Tokugero

Updated 20 July 2020 23:30:27 by Tokugero